Index for Volume 36 (1987)

COMPILED BY TROY L. BEST

Acanthurus leucopareius, 240, 241
Acomys cahirinus, 165
Agaonidae, 9
Albumin evolution, paraphyly and the relationships of the Australian frog *Megistolotis lignarius* (Anura: Limnodynastinae), Mark N. Hutchinson and Linda R. Maxson, 387–394
Alces alces, 68
Allometric growth, 72–75, 76–78, 356–367
Allometry and relative growth in evolutionary studies, on, Richard E. Strauss, 72–75
Allometry and relative growth: Pattern and process in evolutionary studies, Neil W. Blackstone, 76–78
Allometry transformation, 35–51
Allozyme divergence within the Canidae, Robert K. Wayne and Stephen J. O'Brien, 339–355
Alopex lagopus, 339, 342, 345–347, 349
Ambystoma, 328–336
  jeffersonianum, 329–334
  laterale, 329–334
  maculatum, 331
  nothagenes, 333, 334
  platineum, 329, 330, 333
  texanum, 331–333
  tigrinum, 332–334
  tremblayi, 330, 331
Ambystomatidae, 328–336
Analysis,
  cladistic, 1–17, 18–34, 175–195, 227–236
  factor, 368–380
  minimum length trees, 227–236
  multivariate, 396–397, 398–400
  phylogenetic, 109–136, 280–292, 293–325
  principal components, 35–51, 356–367
  univariate, 396–397, 398–400
Analysis of the sensitivity of minimum length (Wagner) tree topology to changes in data, an, Nancy A. Neff, 227–236
Antitropical distribution and evolution in the Indo-West Pacific Ocean, John C. Briggs, 237–247
Antitropicality and vicariance, John C. Briggs, 206–207
Application of artificial intelligence to systematics: SYSTEX–a prototype expert system for species identification, J. B. Woolley and N. D. Stone, 248–267
Archie, James W., Summary of the Twentieth International Numerical Taxonomy Conference, 216–223
Areoligera galea, 81
Artificial intelligence, 248–267
Arvicola, 126
Arvicolidae, 109–136
Asteroides, 400
Atelocynus microtis, 339
Australian frogs, 387–394

Baltisphaeridium galeum, 81
Bathyergidae, 280–292
Bathyergus, 280, 291
  janetta, 282, 283, 285, 288
  suillus, 282, 283, 285, 288
Bell, Michael A., and Pierre Legendre, Multicharacter chronological clustering in a sequence of fossil sticklebacks, 52–61
Berlocher, Stewart H., see Swofford, David L., and —
Binary coding, 109–136
Biogeographical inference, 175–195
Biogeography, 1–17, 18–34, 175–195, 237–247, 280–292
Biological species concept, 381–386
Biostratigraphic variation, 52–61
Blackstone, Neil W., Allometry and relative growth: Pattern and process in evolutionary studies, 76–78
Blackstone, Neil W., Size and time, 211–215
Bodianus vulpinus, 240, 242
Bogart, James P., see Lowcock, Leslie A., —
Bombyx mori, 200
Bookstein, Fred L., see Rohlf, F. James, and —
Briggs, John C., Antitropical distribution and evolution in the Indo-West Pacific Ocean, 237–247
Briggs, John C., Antitropicality and vicariance, 206–207
Burramyidae, 157

Calculating probabilities that cladograms match: A method of biogeographical inference, Daniel Simberloff, 175–195
Caledia, 165, 166
Canalization, 153–174
Canidae, 157, 339–355
Canis
  davisii, 346
  familiaris, 339, 342–345, 347, 349
  latrans, 339, 342, 345, 347, 349
  lupus, 68, 339, 340, 342–345, 347, 349
  mesomelas, 339, 342, 345, 347, 349
Cebidae, 157
Centers of origin, 237–247
Cerdocyon, 340
  thous, 339, 342–344, 347–349
Character weighting, 109–136
Charadriidae, 138

Index for Volume 36 (1987)

COMPILED BY TROY L. BEST

Acanthurus leucopareius, 240, 241
Acomys cahirinus, 165
Agaonidae, 9
Albumin evolution, paraphyly and the relationships of the Australian frog *Megistolotis lignarius* (Anura: Limnodynastinae), Mark N. Hutchinson and Linda R. Maxson, 387–394
Alces alces, 68
Allometric growth, 72–75, 76–78, 356–367
Allometry and relative growth in evolutionary studies, on, Richard E. Strauss, 72–75
Allometry and relative growth: Pattern and process in evolutionary studies, Neil W. Blackstone, 76–78
Allometry transformation, 35–51
Allozyme divergence within the Canidae, Robert K. Wayne and Stephen J. O'Brien, 339–355
Alopex lagopus, 339, 342, 345–347, 349
Ambystoma, 328–336
  jeffersonianum, 329–334
  laterale, 329–334
  maculatum, 331
  nothagenes, 333, 334
  platineum, 329, 330, 333
  texanum, 331–333
  tigrinum, 332–334
  tremblayi, 330, 331
Ambystomatidae, 328–336
Analysis,
  cladistic, 1–17, 18–34, 175–195, 227–236
  factor, 368–380
  minimum length trees, 227–236
  multivariate, 396–397, 398–400
  phylogenetic, 109–136, 280–292, 293–325
  principal components, 35–51, 356–367
  univariate, 396–397, 398–400
Analysis of the sensitivity of minimum length (Wagner) tree topology to changes in data, an, Nancy A. Neff, 227–236
Antitropical distribution and evolution in the Indo-West Pacific Ocean, John C. Briggs, 237–247
Antitropicality and vicariance, John C. Briggs, 206–207
Application of artificial intelligence to systematics: SYSTEX–a prototype expert system for species identification, J. B. Woolley and N. D. Stone, 248–267
Archie, James W., Summary of the Twentieth International Numerical Taxonomy Conference, 216–223
Areoligera galea, 81
Artificial intelligence, 248–267
Arvicola, 126
Arvicolidae, 109–136
Asteroides, 400
Atelocynus microtis, 339
Australian frogs, 387–394

Baltisphaeridium galeum, 81
Bathyergidae, 280–292
Bathyergus, 280, 291
  janetta, 282, 283, 285, 288
  suillus, 282, 283, 285, 288
Bell, Michael A., and Pierre Legendre, Multicharacter chronological clustering in a sequence of fossil sticklebacks, 52–61
Berlocher, Stewart H., see Swofford, David L., and —
Binary coding, 109–136
Biogeographical inference, 175–195
Biogeography, 1–17, 18–34, 175–195, 237–247, 280–292
Biological species concept, 381–386
Biostratigraphic variation, 52–61
Blackstone, Neil W., Allometry and relative growth: Pattern and process in evolutionary studies, 76–78
Blackstone, Neil W., Size and time, 211–215
Bodianus vulpinus, 240, 242
Bogart, James P., see Lowcock, Leslie A., —
Bombyx mori, 200
Bookstein, Fred L., see Rohlf, F. James, and —
Briggs, John C., Antitropical distribution and evolution in the Indo-West Pacific Ocean, 237–247
Briggs, John C., Antitropicality and vicariance, 206–207
Burramyidae, 157

Calculating probabilities that cladograms match: A method of biogeographical inference, Daniel Simberloff, 175–195
Caledia, 165, 166
Canalization, 153–174
Canidae, 157, 339–355
Canis
  davisii, 346
  familiaris, 339, 342–345, 347, 349
  latrans, 339, 342, 345, 347, 349
  lupus, 68, 339, 340, 342–345, 347, 349
  mesomelas, 339, 342, 345, 347, 349
Cebidae, 157
Centers of origin, 237–247
Cerdocyon, 340
  thous, 339, 342–344, 347–349
Character weighting, 109–136
Charadriidae, 138

Charadrius, 146, 150
vociferus, 138–140, 147, 148
Chiropteridium
dispersum, 81
galea, 81
mespilana, 81
mesiplanum, 81
Chorthippus jucundus, 165
Chromosomal evolution, 109–136, 153–174
Chromosomal evolution and speciation revisited, Jack W. Sites, Jr., and Craig Moritz, 153–174
Chronological clustering, 52–61
Chrysocyon, 348
brachyurus, 339, 340, 342–345, 347, 349
Cladistics, 1–17, 18–34, 175–195, 227–236
Cladograms, 175–195
Classification, 248–267
Cleithrionomys, 119, 122, 131
californicus, 111, 112, 125, 126, 128
gapperi, 111, 112, 118, 124–126, 128, 129
glareolus, 46, 125
rufocanus, 125
Cnemidophorus, 328
Coccothraustes, 143, 146, 147
vespertinus, 138, 142, 146, 148
Coding multistate characters, with special reference to the use of parasites as characters of their hosts, Richard T. O'Grady and Gregory B. Deets, 268–279
Colinus, 158
Computer identification, 248–267
Corruccini, Robert S., Univariate versus multivariate morphometric variation: An alternate viewpoint, 396–397
Corvidae, 138, 149
Coturnix, 158
Cricetidae, 157
Cricosaura, 326
Cricosaurus, 326, 327
Croizat, 1–17
Cryptomys, 280, 290
hottentotus, 282, 283, 285, 288, 289, 291
Cuon, 348
alpinus, 339, 340
Cynoglossus, 246
Cypraeidae, 246

Dacosaurus, 326
Dasycyon hagenbecki, 339
Dasyuridae, 157
Deets, Gregory B., see O'Grady, Richard T., and —
Definition and diagnosis in the phylogenetic system, Timothy Rowe, 208–211
Dendroica, 146, 147
coronata, 138, 142, 148
Developmental integration, 368–380
Diagnosis, 248–267
Dichotomous key, 248–267
Dicrostonyx, 119, 122, 124, 125
torquatus, 111, 112, 126–129
Didelphidae, 157
Dinoceras, 80
Dinophysis, 80
Diplopsalis, 80
Disjunct patterns, 237–247
Dollo, 137–152
Drosophila, 130, 137
heteroneura, 321
melanogaster, 162, 198, 321
persimilis, 199
planitibia, 321
pseudoobscura, 198, 199
silvestris, 321
simulans, 198
Dusicyon, 340, 348
vetulus, 339, 342–344, 347, 349

East Indies, 237–247
Echinoderm nomenclature: Not in need of repair, Gordon Hendler and David L. Pawson, 395–396
Edwards, Scott V., see Honeycutt, Rodney L., —
Electrophoresis, 18–34, 137–152, 293–325, 339–355
Emberizidae, 138, 143, 147, 148
Endler, John A., Natural selection in the wild (rev.), 87–89
Energetics and taxonomic patterns of species diversity, Douglas S. Glazier, 62–71
Enterobius, 191, 192
Environmental modification, 35–51
Eptesicus fuscus, 149
Equus, 158
Evaluating models of developmental integration in the laboratory rat using confirmatory factor analysis, Meriam Leah Zelditch, 368–380
Evolution, 339–355
Evolutionary,
concordance, 18–34
genetics, 18–34
pattern, 52–61
rates, 387–394
trees, 293–325
Expert systems, 248–267

Factor analysis, 368–380
Farris 1974 model, 103–108
Felidae, 157
Felis, 157
Fennecus, 339
zerda, 342–347, 349
Fensome, R. A., see Taylor, F. J. R., —
Ficedula, 85
Ficus, 9–11
Flagellate, 79–85

Galea galea, 81
Gallus, 158
Gasterosteus, 52–61
aculeatus, 58
doryssus, 53, 54, 56–58
Gehyra, 158, 166
variegata-punctata, 167, 168
Gene frequencies, 293–325
Generalized tracks, 1–17
Geographic variation, 18–34
Georychus, 280, 285, 288, 290, 291
capensis, 282, 283, 285, 289
Gerbillus pyramidum, 165

Glazier, Douglas S., Energetics and taxonomic patterns of species diversity, 62–71
Gobiesocidae, 246
Goniodoma, 84
Gorilla, 191
Gossypium, 8
Gradualism, 52–61
Grant, Verne, review by, 89–90
Graphs and generalized tracks: Quantifying Croizat's panbiogeography, Roderic D. M. Page, 1–17

Hafner, John C., see Hafner, Mark S., —
Hafner, Mark S., John C. Hafner, James L. Patton, and Margaret F. Smith, Macrogeographic patterns of genetic differentiation in the pocket gopher *Thomomys umbrinus*, 18–34
Heleioporus, 387, 391, 392
australiacus, 388, 389
Heliophobius, 280, 285, 288–291
argentocinereus, 282, 283
Hendler, Gordon, and David L. Pawson, Echinoderm nomenclature: Not in need of repair, 395–396
Heterandria, 175–177
Heterocephalus, 280, 285, 289–291
glaber, 281–283, 291
Himantopus, 143, 146
mexicanus, 138, 140, 147, 148
Holman, Eric W., Recognizability of sexual and asexual species of rotifers, 381–386
Homo, 191
sapiens, 209
Homoplasy, 109–136, 13. -152
Honeycutt, Rodney L., Scott V. Edwards, Kimberlyn Nelson, and Eviatar Nevo, Mitochondrial DNA variation and the phylogeny of African mole rats (Rodentia: Bathyergidae), 280–292
Host-parasite co-evolution, 268–279
Hutchinson, Mark N., and Linda R. Maxson, Albumin evolution, paraphyly and the Australian frog *Megistolotis lignarius* (Anura: Limnodynastinae), 387–394
Hyenidae, 157
Hypentelium, 302, 305, 320
etowanum, 306–310
nigricans, 306–310
roanokense, 308, 310

Identification, 248–267
Inclusive ORing, 268–279
Indo-West Pacific Ocean, 237–247
Inferring evolutionary trees from gene frequency data under the principle of maximum parsimony, David L. Swofford and Stewart H. Berlocher, 293–325
Isozymes, 137–152

Junco, 143, 146, 147
hyemalis, 138, 142, 148

Lagurus, 119, 122, 125, 131
curtatus, 111, 115, 118, 125, 126
Lambert, D. M., B. Michaux, and C. S. White, Are species self-defining?, 196–205
Legendre, Pierre, see Bell, Michael A., and —
Lemniscus, 125
Lemmus, 119, 122, 125, 131
sibiricus, 111, 113, 118, 126
Lemur, 191
Lemuridae, 156, 157
Lepidophyma, 326
Lepidophymidae, 327
Lepilemur, 156, 157
Lepilemuridae, 155, 156
Licht, Lawrence E., see Lowcock, Leslie A., —
Limnodynastes
convexiusculus, 387–389, 391–393
dorsalis, 388, 391, 392
dumerili, 389, 391
fletcheri, 387–389
ornatus, 388, 389, 391–393
peroni, 387–389, 391, 393
salmini, 387–389, 391, 392
tasmaniensis, 387–389, 391–393
Linear programming, 293–325
Lowcock, Leslie A., Lawrence E. Licht, and James P. Bogart, Nomenclature in hybrid complexes of *Ambystoma* (Urodela: Ambystomatidae): No case for the erection of hybrid "species," 328–336
Lycaon, 347, 348
pictus, 339, 340, 342, 345, 349

Macrogeographic patterns of genetic differentiation in the pocket gopher *Thomomys umbrinus*, Mark S. Hafner, John C. Hafner, James L. Patton, and Margaret F. Smith, 18–34
Maxson, Linda R., see Hutchinson, Mark N., and —
Mayr, Ernst, The status of subjective junior homonyms, 85–86
Measurement error, 35–51
Megistolotis lignarius, 387–394
Metasequoia, 68
Metriorhynchidae, 327
Metriorhynchus, 326
Michaux, B., see Lambert, D. M., —
Micro-complement fixation (MC'F), 387–394
Microtus, 130
agrestris, 111, 116, 118, 119, 123, 125, 126
breweri, 111, 120, 121, 123, 125, 126, 128
californicus, 111, 115, 118, 119, 123, 125, 126, 129
canicaudus, 111, 118, 120, 121, 123, 125–128
chrotorrhinus, 126
longicaudus, 111, 115, 118, 121–123, 125–127
mexicanus, 111, 115, 118, 119, 122, 123, 125, 126, 129
montanus, 111, 120, 121, 123, 125–129
mordax, 126
ochrogaster, 111, 116, 118, 119, 123, 125, 126
oeconomus, 111, 116, 118, 121–123, 125–127
oregoni, 111, 116, 118–121, 123, 125–127
pennsylvanicus, 111, 118, 120, 121, 123, 125–129
pinetorum, 111, 116, 118, 119, 123, 125, 126, 129
richardsoni, 111, 116, 119, 122, 123, 125, 126
townsendii, 111, 115, 118, 120, 121, 123, 125, 126, 128
xanthognathus, 126
Mindell, David P., and Jack W. Sites, Jr., Tissue expression patterns of avian isozymes: A preliminary study of phylogenetic applications, 137–152
Minimum length trees, 227–236
Mirafra nigricans, 7

Mitochondrial DNA variation and the phylogeny of African mole rats (Rodentia: Bathyergidae), Rodney L. Honeycutt, Scott V. Edwards, Kimberlyn Nelson, and Eviatar Nevo, 280–292
Modi, William S., Phylogenetic analysis of chromosomal banding patterns among the Nearctic Arvicolidae (Mammalia: Rodentia), 109–136
Molecular systematics, 280–292
More appropriate definitions of paraphyly and polyphyly, with a comment on the Farris 1974 model, Pjotr Oosterbroek, 103–108
Moritz, Craig, see Sites, Jack W., Jr., and —
Morphometrics, 35–51, 356–367, 396–397, 398–400
Multicharacter chronological clustering in a sequence of fossil sticklebacks, Michael A. Bell and Pierre Legendre, 52–61
Multistate coding methods, 268–279
Muridae, 157
Mus, 164, 165
  musculus, 130
Muscicapa, 85
Muscicapidae, 138
Muskrat, 35–51
Mustelidae, 157
Myobatrachus, 389
Myripristis chryseres, 240, 243

Name of the non-nominotypical subfamily of the lizard family Xantusiidae, the, Hobart M. Smith, 326–328
Naming of higher taxa, on the, George C. Steyskal, 400
Neff, Nancy A., An analysis of the sensitivity of minimum length (Wagner) tree topology to changes in data, 227–236
Nelson, Kimberlyn, see Honeycutt, Rodney L., —
Neobatrachus, 388
Neofiber, 119, 122, 123, 125, 131
  alleni, 111, 115, 118, 126
Neotoma, 158
Nevo, Eviatar, see Honeycutt, Rodney L., —
Niltava, 85
Nomenclature, 79–85, 328–336
Nomenclature in hybrid complexes of *Ambystoma* (Urodela: Ambystomatidae): No case for the erection of hybrid "species," Leslie A. Lowcock, Lawrence E. Licht, and James P. Bogart, 328–336
Notaden, 388
Nucifraga, 146, 147
  columbiana, 138, 141, 148
Numida, 158
Numididae, 158
Nurmi, Kirsi, see Pankakoski, Erkki, —
Nyctereutes, 339, 344, 347
  procyonoides, 342, 343, 349

O'Brien, Stephen J., see Wayne, Robert K., and —
O'Grady, Richard T., and Gregory B. Deets, Coding multistate characters, with special reference to the use of parasites as characters of their hosts, 268–279
Octocyon, 339, 344, 347, 349, 350
  megalotis, 342, 343
Ondatra, 125
  zibethicus, 35–51
Oosterbroek, Pjotr, More appropriate definitions of paraphyly and polyphyly, with a comment on the Farris 1974 model, 103–108
Oryzomys, 157
Owen, Robert D., see Willig, Michael R., and —

Page, Roderic D. M., Graphs and generalized tracks: Quantifying Croizat's panbiogeography, 1–17
Pan, 191
Panbiogeography, 1–17
Pankakoski, Erkki, Risto A. Väisänen, and Kirsi Nurmi, Variability of muskrat skulls: Measurement error, environmental modification and size allometry, 35–51
Panthera, 157
Paraphyly, 18–34, 103–108, 387–394
Parisomony, 293–325
Passer, 146, 147, 150
  domesticus, 138, 143, 146, 148
Passeridae, 138, 147
Patterns,
  chromosomal banding, 109–136
  disjunct, 237–247
  evolutionary, 52–61
  in evolutionary studies, 76–78
  macrogeographic, 18–34
  taxonomic, 62–71
  tissue expressive, 137–152
Patton, James L., see Hafner, Mark S., —
Pawson, David L., see Hendler, Gordon, and —
Peramelidae, 157
Peromyscus, 110–113, 121, 127, 134, 158
  gratus, 118
Phalacroma, 80
Phalaropus, 146
  tricolor, 138–140, 147, 148
Phasianidae, 149, 158
Phasianus, 158
Phenacomys, 119, 122, 124, 125
  intermidius, 111, 113, 118, 126
Phenetics, 89–90, 227–236
Phenogram, 339–355
Phyllostomus hastatus, 167
Phylogenetic,
  analysis, 109–136, 293–325
  reconstruction, 109–136
  system, 208–211
  utility, 137–152
Phylogenetic analysis of chromosomal banding patterns among the Nearctic Arvicolidae (Mammalia: Rodentia), William S. Modi, 109–136
Pipilo, 143, 146, 147
  chlorurus, 138, 142, 148
Plethodon cinereus, 65
Pocket gophers, 18–34
Poecilopsis, 330
Polyphyly, 103–108
Pongo, 191
Principal components, 35–51
  analysis, 356–367
Prodinophysis, 80
Proechimys, 166

Protocyon, 348
Pseudocaranx dentex, 240, 244
Punctuated equilibria, 52–61
  model, 381–386
Pytilia, 160

Rattus, 165
Recognizability of sexual and asexual species of rotifers, Eric W. Holman, 381–386
Recurvirostra, 146, 147
  americana, 138, 140, 148
Recurvirostridae, 138, 147, 148
Reithrodontomys, 158
Relative growth, 72–75, 76–78
Rhagoletis, 302
  boycei, 325
  completa, 325
  juglandis, 325
  pomonella, 303, 325
  suavis, 303, 304, 325
  zoqui, 303, 325
Rheobatrachus, 389
Rhinoclemmys
  areolata, 316
  funerea, 316
  punctularia, 316
Rohlf, F. James, and Fred L. Bookstein, A comment on shearing as a method for "size correction," 356–367
Roth, V. Louise, review by, 90–91
Rotifers, 381–386
Rowe, Timothy, Definition and diagnosis in the phylogenetic system, 208–211

Sarjeant, W. A. S., see Taylor, F. J. R., —
Sceloporus
  graciosus, 168
  grammicus, 165, 166, 168
Schultz, David L., review by, 87–89
Sciurus carolinensis, 47
Scolopacidae, 138
Sequoiadendron, 68
Shape, 356–367
Shearing as a method for "size correction," a comment on, F. James Rohlf and Fred L. Bookstein, 356–367
Sigmodon, 158
Signiphora, 248–267
  aleyrodis, 260
  coquilletti, 259, 260
  flavella, 259
  maculata, 259
  merceti, 259
  townsendii, 259
Signiphoridae, 248–267
Simberloff, Daniel, Calculating probabilities that cladograms match: A method of biogeographical inference, 175–195
Sister groups, 103–108
Sites, Jack W., Jr., and Craig Moritz, Chromosomal evolution and speciation revisited, 153–174
Sites, Jack W., Jr., see Mindell, David P., and —
Sitta, 146
  canadensis, 138, 141, 147, 148
Sittidae, 138
Size, 211–215, 356–367
Size and time, Neil W. Blackstone, 211–215
Smith, Hobart M., The name of the non-nominotypical subfamily of the lizard family Xantusiidae, 326–328
Smith, Margaret F., see Hafner, Mark S., —
Sorex, 165
  araneus, 165
South America, 339–355
Spalax, 166, 167
Speciation, 18–34, 109–136, 153–174, 381–386
Species diversity, 62–71
Species self-defining?, are, D. M. Lambert, B. Michaux, and C. S. White, 196–205
Speothos, 348
  venaticus, 339, 340, 342–344, 347, 349
Standarisation of nomenclature in flagellate groups treated by both the botanical and zoological codes of nomenclature, F. J. R. Taylor, W. A. S. Sarjeant, R. A. Fensome, and G. L. Williams, 79–85
Status of subjective junior homonyms, the, Ernst Mayr, 85–86
Steyskal, George C., On the naming of higher taxa, 400
Stickleback, 52–61
Stone, N. D., see Woolley, J. B., and —
Strauss, Richard E., On allometry and relative growth in evolutionary studies, 72–75
Streblus, 11
Strombus, 246
Sturnidae, 149
Stylochromonas minuta, 81
Subjective junior homonyms, 85–86
Summary of the Twentieth International Numerical Taxonomy Conference, James W. Archie, 216–223
Swofford, David L., and Stewart H. Berlocher, Inferring evolutionary trees from gene frequency data under the principle of maximum parsimony, 293–325
Synaptomys, 119, 122, 125, 131
  cooperi, 111, 113, 126, 129
Synonymy, 381–386

Tabular key, 248–267
Taxonomic,
  judgement, 381–386
  patterns, 62–71
Taylor, F. J. R., W. A. S. Sarjeant, R. A. Fensome, and G. L. Williams, Standardisation of nomenclature in flagellate groups treated by both the botanical and zoological codes of nomenclature, 79–85
Terrapene, 176, 177
Thomomys, 167
  bottae, 21–23, 29–32
  talpoides, 22, 30
  townsendii, 32
  umbrinus, 18–34
Time, 211–215
Tissue expression patterns of avian isozymes: A preliminary study of phylogenetic applications, David P. Mindell and Jack W. Sites, Jr., 137–152
Tonatia, 160
Trenchant heel, 339–355

Trimerotropis
cyaneipennis, 164
suffusa, 164
Troglodytes, 146
aedon, 138, 141, 148
Troglodytidae, 138
Turdus, 143, 146
migratorius, 138, 141, 147, 148

Univariate analyses of morphometric variation do not emulate the results of multivariate analyses, Michael R. Willig and Robert D. Owen, 398–400
Univariate versus multivariate morphometric variation: An alternate viewpoint, Robert S. Corruccini, 396–397
Uperoleia, 389
UPGMA, 227–236
Urocyon, 339, 344, 347, 349
cinereoargenteus, 342, 343
Ursus arctos, 341–343

Väisänen, Risto A., see Pankakoski, Erkki, —
van Strien, Nico J., The Sumatran rhinoceros *Dicerorhinus sumatrensis* (Fischer, 1814) in the Gunung Leuser National Park, Sumatra, Indonesia; its distribution, ecology and conservation (rev.), 90–91
Variability of muskrat skulls: Measurement error, environmental modification and size allometry, Erkki Pankakoski, Risto A. Väisänen, and Kirsi Nurmi, 35–51
Variance components, 35–51
Vicariance, 206–207
biogeography, 1–17
Vireonidae, 149
Vombatidae, 157
Vulpes, 341
chama, 342, 345–347, 349
macrotis, 339, 342, 345, 346, 349
vulpes, 342–347

Wagner trees, 227–236
Wayne, Robert K., and Stephen J. O'Brien, Allozyme divergence within the Canidae, 339–355
White, C. S., see Lambert, D. M., —
Williams, G. L., see Taylor, F. J. R., —
Willig, Michael R., and Robert D. Owen, Univariate analyses of morphometric variation do not emulate the results of multivariate analyses, 398–400
Woolley, J. B., and N. D. Stone, Application of artificial intelligence to systematics: SYSTEX--a prototype expert system for species identification, 248–267

Xantusiidae, 326–328
Xiphophorus, 175–177

Yablokov, Alexey V., Phenetics (rev.), 89–90

Zelditch, Meriam Leah, Evaluating models of developmental integration in the laboratory rat using confirmatory factor analysis, 368–380
Zonotrichia albicollis, 154